


Fresh Water Needs



Calculating Herd Requirements for Fresh Water



Drinking Water Needs



Wash Pen Needs

1 ff

1 ff

3

Milk Horse and Parlor Needs

1. 2. 3. 4.

S. mmar

† *Significantly different from control (p < 0.05).*

1: C 18

CA EG	N MBE	% FHE D	A G. EIGH LB .
1	7 3	7 31	400
2	1	1	1550
3 - 10	100		
4			
5 - 24	42	3	1050
13 - 15	13	12	7 00
6 - 12	1	1	00
5 - 7	1	1	400
3 - 4		7	250
0 - 2		7 1	50
11	111		

[illegible]

2: D C L

EIGH LB	MILK LB	40 & BEL	60	80 F
L				
1400	20.2	12.0	14.5	1.6
	0.2	22.0	2.1	24.
	70.2	2.0	31.	3.
	100.2	32.0	3.	45.
D				
1400-		.	12.0	1.2
100-		10.4	12.7	1.3
H				
1200-		7.	10.7	14.5
700		.3	.	10.
400		3.	4.	.1
200		2.0	2.5	3.3

1
2

Wash Pen Needs

11
11
3
1

Milk House and Parlor Needs

1. Milk house and parlor should be located near the milking machine.

2. Milk house and parlor should be located near the milking machine.

A HING E A I N	A E U ME
By y	
50. 0	
30. 40	
5. 125	
30. 40	
30	
C 10	
1. 4.5	
0.25. 0.5	
40. 5	
10. 20	
5	

Summary

1. Milk house and parlor should be located near the milking machine.